# SAFETY DATA SHEET

### WATTYL AQUATRIM SATIN MID BASE

117363

## **Section 1. Identification**

Product name : WATTYL AQUATRIM SATIN

MID BASE

Product type : Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Manufacturer : VALSPAR PAINT (NZ) LIMITED

4-14 Patiki Road.

: +(64)98010034

Avondale, Auckland, NZ 1026

**Emergency telephone** 

number (with hours

rs

(Available 24 hrs/ 7 days)

of operation)

for this SDS

e-mail address of person responsible

: sds@sherwin.com

## Section 2. Hazards identification

**HSNO Classification**: 6.7 - CARCINOGENICITY - Category B

This material is classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001 and has been classified according to the Hazardous Substances (Classifications) Regulations 2001.

This material is not classified as DANGEROUS GOODS according to criteria in New Zealand Standard 5433:2012 Transport of Dangerous Goods on Land.

### **GHS label elements**

Signal word : Warning

**Hazard statements**: Suspected of causing cancer.

**Precautionary statements** 

Prevention : Obtain special instructions before use. Do not handle until all safety precautions

have been read and understood. Use personal protective equipment as required. Keep out of reach of children. If medical advice is needed: Have product container

or label at hand.

**Response**: IF exposed or concerned: Get medical advice/attention.

Storage : Store locked up.

Disposal : Dispose of contents and container in accordance with all local, regional, national

and international regulations.

Symbol :



Other hazards which do not : Please refer to the SDS for additional information. Keep out of reach of children.

result in classification

# Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Other means of : Not available.

identification

CAS number/other identifiers

Product code : 117363

Version: 6 Date of issue/Date of revision: 17, August, 2021

# Section 3. Composition/information on ingredients

Ingredient name	% (w/w)	CAS number
Titanium Dioxide	3.8	13463-67-7
Trimethylpentanediol Isobutyrate	3.2	25265-77-4
Propylene Glycol	1.8	57-55-6
Amorphous Silica	1.3	7631-86-9
Attapulgite Clay	0.3	12174-11-7

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

### **Description of necessary first aid measures**

Inhalation : Remove victim

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or

waistband.

: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open

airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention if symptoms

occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

**Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10

minutes. Get medical attention if irritation occurs.

### Most important symptoms/effects, acute and delayed

### Potential acute health effects

Ingestion

Skin contact

Inhalation: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Eye contact: No known significant effects or critical hazards.

### Over-exposure signs/symptoms

Inhalation: No specific data.Ingestion: No specific data.Skin: No specific data.Eyes: No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

**Specific treatments**: Not available.

Notes to physician : No specific treatment. Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Version: 6 Date of issue/Date of revision: 17, August, 2021 SHW-A4-AP-HSN44-NZ

### Page: 3/10

# Section 5. Firefighting measures

### **Extinguishing media**

Suitable

: Use an extinguishing agent suitable for the surrounding fire.

Not suitable

: None known.

Specific hazards arising from the chemical

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

: Decomposition products may include the following materials: carbon dioxide

carbon monoxide metal oxide/oxides

Hazchem code

: Not available.

Special precautions for firefighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without

suitable training.

Special protective equipment for fire-fighters

 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode

### Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

**Environmental precautions** 

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and material for containment and cleaning up

**Small spill** 

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

Precautions for safe handling

Version

: 6

: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Avoid exposure - obtain special instructions before use. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Date of issue/Date of revision : 17, August, 2021

### Page: 4/10

# Section 7. Handling and storage

Conditions for safe storage, : including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

### **Occupational exposure limits**

Ingredient name	Exposure limits
Titanium Dioxide	NZ HSWA 2015 (New Zealand, 11/2019). WES-TWA: 10 mg/m³ 8 hours. Form: The value for inhalable dust containing no asbestos and less than 1% free silica.
Propylene Glycol	NZ HSWA 2015 (New Zealand, 11/2019).  WES-TWA: 10 mg/m³ 8 hours. Form: Particulate  WES-TWA: 150 ppm 8 hours. Form: Vapor and particulates  WES-TWA: 474 mg/m³ 8 hours. Form: Vapor and particulates
Amorphous Silica	NZ HSWA 2015 (New Zealand, 11/2019). WES-TWA: 10 mg/m³ 8 hours.

# Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

# **Environmental exposure** controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### **Individual protection measures**

#### **Hygiene measures**

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

### **Respiratory protection**

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

#### **Hand protection**

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

### **Eye protection**

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Version: 6 Date of issue/Date of revision: 17, August, 2021 SHW-A4-AP-HSN44-NZ

WATTYL AQUATRIM SATIN

Page: 5/10

MID BASE

# Section 8. Exposure controls/personal protection

**Skin protection**: Personal protective equipment for the body should be selected based on the task

being performed and the risks involved and should be approved by a specialist

before handling this product.

# Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

**Appearance** 

Physical state : Liquid.

Colour: Not available.Odour: Not available.Odour threshold: Not available.

**pH** : 8.5

**Melting point/freezing point** : Not available. **Boiling point, initial boiling** : 100°C (212°F)

point, and boiling range

Flash point : Closed cup: 103°C (217.4°F) [Pensky-Martens Closed Cup]

**Evaporation rate** : 0.09 (butyl acetate = 1)

Flammability : Not available.

Lower and upper explosion : Lower: 0.6% Upper: 12.5%

Vapour pressure : 2.3 kPa (17.5 mm Hg)

**Relative vapour density** : 1 [Air = 1] **Relative density** : 1.08

Solubility : Not available.

Partition coefficient: n- : Not applicable.

octanol/water

Auto-ignition temperature : Not available.

Decomposition temperature : Not available.

Viscosity : Kinematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt)

**Aerosol product** 

Type of aerosol : Not applicable.

Heat of combustion : 2.276 kJ/g

Ignition distance : Not applicable.

Enclosed space ignition - : Not applicable.

Time equivalent

**Enclosed space ignition - :**  Not applicable.

Deflagration density

Flame height : Not applicable.
Flame duration : Not applicable.

# Section 10. Stability and reactivity

**Chemical stability**: The product is stable.

Possibility of hazardous reactions

Incompatible materials

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid

No specific data.No specific data.

Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Version : 6 Date of issue/Date of revision : 17, August, 2021

# **Section 11. Toxicological information**

### Information on likely routes of exposure

Inhalation
 Ingestion
 No known significant effects or critical hazards.
 Skin contact
 No known significant effects or critical hazards.
 Eye contact
 No known significant effects or critical hazards.
 Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No specific data.Ingestion: No specific data.Skin contact: No specific data.Eye contact: No specific data.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
Trimethylpentanediol Isobutyrate	LD50 Oral	Rat	3200 mg/kg	-
Propylene Glycol	LD50 Dermal LD50 Oral		20800 mg/kg 20 g/kg	-

#### **Irritation/Corrosion**

Human t Rabbit t Rabbit ritant Child	- - -	72 hours 300 ug I 24 hours 500 mg 100 mg	-
t Rabbit	-	24 hours 500 mg	-
	-	ū	
ritant I Child		_	
Than Office	-	96 hours 30 % C	-
Human	ı -	168 hours 500 mg	-
ritant Human	ı -	72 hours 104	-
Womar	n  -	96 hours 30	-
t Rabbit	-	24 hours 25	-
_	Human ritant Human Woman	Human - ritant Human - Woman -	## Human - ## 168 hours 500 mg

#### **Sensitisation**

Not available.

### Potential chronic health effects

General : No known significant effects or critical hazards.
 Inhalation : No known significant effects or critical hazards.
 Ingestion : No known significant effects or critical hazards.
 Skin contact : No known significant effects or critical hazards.
 Eye contact : No known significant effects or critical hazards.

Carcinogenicity : Suspected of causing cancer. Risk of cancer depends on duration and level of

exposure.

Mutagenicity: No known significant effects or critical hazards.Teratogenicity: No known significant effects or critical hazards.Developmental effects: No known significant effects or critical hazards.Fertility effects: No known significant effects or critical hazards.

**Chronic toxicity** 

Version : 6 Date of issue/Date of revision : 17, August, 2021

# Section 11. Toxicological information

Not available.

### **Carcinogenicity**

Not available.

### **Mutagenicity**

Not available.

#### **Teratogenicity**

Not available.

### Reproductive toxicity

Not available.

### **Specific target organ toxicity**

Not available.

#### **Aspiration hazard**

Not available.

### **Numerical measures of toxicity**

### **Acute toxicity estimates**

Route	ATE value
Oral	99475.76 mg/kg

# **Section 12. Ecological information**

### **Ecotoxicity**

: No known significant effects or critical hazards.

### **Aquatic and terrestrial toxicity**

Product/ingredient name	Result	Species	Exposure
Titanium Dioxide	Acute LC50 >1000000 μg/l Marine water	Fish - Fundulus heteroclitus	96 hours
Propylene Glycol	Acute EC50 >110 ppm Fresh water Acute LC50 1020000 μg/l Fresh water	Daphnia - Daphnia magna Crustaceans - Ceriodaphnia dubia	48 hours 48 hours
	Acute LC50 710000 μg/l Fresh water	Fish - Pimephales promelas	96 hours

### Persistence/degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Trimethylpentanediol Isobutyrate	-	-	Readily
Propylene Glycol	-	-	Readily

### **Bioaccumulative potential**

Not available.

### **Mobility in soil**

Version

Soil/water partition coefficient (Koc)

: 6

: Not available.

Other adverse effects : No know

: No known significant effects or critical hazards.

Date of issue/Date of revision : 17, August, 2021

# Section 13. Disposal considerations

**Disposal methods** 

: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Page: 8/10

# **Section 14. Transport information**

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Marine Pollutant
New Zealand Class	Not regulated.	-	-	-		No.
ADG Class	Not regulated.	-	-	-		No.
UN Class	Not regulated.	-	-	-		No.
ADR/RID Class	Not regulated.	-	-	-		No.
IATA Class	Not regulated.	-	-	-		No.
IMDG Class	Not regulated.	-	-	-		Not a pollutant.

**Additional** information

**New Zealand Class ADG Class UN Class ADR/RID Class IATA Class IMDG Class** 

PG\*: Packing group

**NZ NZS 14 Hazchem Code** : Not available.

Special precautions for user : Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in

the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

Version : 6 Date of issue/Date of revision: 17, August, 2021

WATTYL AQUATRIM SATIN Page: 9/10 MID BASE

## **Section 15. Regulatory information**

**HSNO Approval Number** 

: HSR002679

**HSNO Group Standard** 

: Surface coatings and colourants

**HSNO Classification** 

: 6.7 - CARCINOGENICITY - Category B

Safety, health and

: No known specific national and/or regional regulations applicable to this product

environmental regulations specific for the product

(including its ingredients).

**International regulations** 

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

**Montreal Protocol** 

Not listed.

**Stockholm Convention on Persistent Organic Pollutants** 

Not listed.

**Rotterdam Convention on Prior Informed Consent (PIC)** 

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Not listed.

### Section 16. Other information

**History** 

**Date of printing** : 17, August, 2021. Date of issue/Date of : 17, August, 2021

revision

Date of previous issue : 14, April, 2021

Version : 6

Key to abbreviations : ADG = Australian Dangerous Goods

ADR = The European Agreement concerning the International Carriage of

Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

RID = The Regulations concerning the International Carriage of Dangerous Goods

bv Rail

SGG = Segregation Group UN = United Nations

References : Not available.

Indicates information that has changed from previously issued version.

Notice to reader

Version : 6 Date of issue/Date of revision: 17, August, 2021 SHW-A4-AP-HSN44-NZ

WATTYL AQUATRIM SATIN MID BASE

Version

: 6

### Section 16. Other information

It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become make themselves aware of and understand the data contained in this SDS and any hazards that may be associated with the product. This information is provided in good faith and believed to be accurate as of the effective date mentioned herein. However, no warranty, express or implied, is given. The information presented here applies only to the product as shipped. The addition of any material can may change later the composition, hazards and risks of the product. Products shall should not be repackaged, modified, or tinted except as specifically instructed by the manufacturer, including but not limited to, the incorporation of products not specified by the manufacturer, or the use or addition of products in proportions not specified by the manufacturer. Regulatory requirements are subject to change and may differ between various locations and jurisdictions. The customer/buyer/user is responsible to ensure that his activities comply with all country, federal, state, provincial or local laws. The conditions for the use of the product are not under the manufacturer's control of the manufacturer; the customer/buyer/user is responsible to for determine determining the conditions necessary for the safe use of this product. The customer/buyer/user should not use the product for any purpose other than the purpose shown in the applicable section of this SDS, without first referring to the supplier and obtaining written handling instructions. Due to the proliferation of sources for information such as manufacturer-specific SDS, the manufacturer cannot be held responsible for SDSs obtained from any other source.

Date of issue/Date of revision : 17, August, 2021

SHW-A4-AP-HSN44-NZ

Page: 10/10