SAFETY DATA SHEET

WATTYL FORESTWOOD AQUATECH

BLACK BEAN

813776

Section 1. Identification

Product name	: WATTYL FORESTWOOD AQUATECH BLACK BEAN
Product type	: Liquid.
Relevant identified use	s of the substance or mixture and uses advised against
Manufacturer	: VALSPAR PAINT (NZ) LIMITED 4-14 Patiki Road, Avondale, Auckland, NZ 1026
Emergency telephone number (with hours of operation)	: +(64)98010034 (Available 24 hrs/ 7 days)
e-mail address of person responsible for this SDS	: sds@sherwin.com

Section 2. Hazards identification

HSNO Classification

: 6.5 - SENSITIZATION - Category B (Skin) 6.7 - CARCINOGENICITY - Category B

9.1 - AQUATIC ECOTOXICITY - Category C

This material is classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001 and has been classified according to the Hazardous Substances (Classifications) Regulations 2001.

This material is not classified as DANGEROUS GOODS according to criteria in New Zealand Standard 5433:2012 Transport of Dangerous Goods on Land.

GHS label elements

Ono laber cicilients		
Signal word	:	Warning
Hazard statements	:	May cause an allergic skin reaction. Suspected of causing cancer. Harmful to aquatic life with long lasting effects.
Precautionary statements		
Prevention	:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wear protective gloves. Avoid release to the environment. Keep out of reach of children. Avoid breathing vapour. Contaminated work clothing should not be allowed out of the workplace. If medical advice is needed: Have product container or label at hand.
Response	;	IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. IF exposed or concerned: Get medical advice/attention.
Storage	:	Store locked up.
Disposal	;	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Symbol	:	

Other hazards which do not result in classification : Please refer to the SDS for additional information. Keep out of reach of children. Risk of spontaneous combustion. Spraydust, cloth and other contaminated organic material should be wetted and placed in a sealed metal container. Store in a fireproof place.

Section 3. Composition/information on ingredients

Substance/n	nixture
-------------	---------

Other means of	
identification	

: Not available.

: Mixture

CAS number/other identifiers

Product code : 813776

Ingredient name	% (w/w)	CAS number
Propylene Glycol	12.2	57-55-6
2-Butoxyethanol	4.4	111-76-2
Attapulgite Clay	1.7	12174-11-7
2-N-Octyl-4-isothiazolin-3-one	0.2	26530-20-1

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Section 4. First aid measures

Indication of immediate medical ettention and encoded treatment readed, if recessory			
Indication of immediate medical attention and special treatment needed, if necessary			
Specific treatments	1	Not available.	
Notes to physician	:	No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.	
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.	
Castervised arised information (Castion 14)			

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

:	Use an extinguishing agent suitable for the surrounding fire.
:	None known.
:	In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
:	Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
:	Not available.
:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
Methods and material for con	ta	inment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	E	xposure limits		
Propylene Glycol 2-Butoxyethanol	V Pa V an V Va NZ Ak V	Z HSWA 2015 (New Zealand, 11/2019). WES-TWA: 10 mg/m ³ 8 hours. Form: articulate WES-TWA: 150 ppm 8 hours. Form: Vapor nd particulates WES-TWA: 474 mg/m ³ 8 hours. Form: apor and particulates Z HSWA 2015 (New Zealand, 11/2019). Disorbed through skin. WES-TWA: 25 ppm 8 hours. WES-TWA: 121 mg/m ³ 8 hours.		
Appropriate engineering controls	If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.			
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.			
Individual protection measures				
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.			
Respiratory protection	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.			

Section 8. Exposure controls/personal protection

_	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Eye protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance **Physical state** : Liquid. Colour : Not available. : Not available. Odour **Odour threshold** : Not available. : 9 pН Melting point/freezing point : Not available. **Boiling point, initial boiling** : 100°C (212°F) point, and boiling range **Flash point** : Closed cup: 103°C (217.4°F) [Pensky-Martens Closed Cup] **Evaporation rate** : 89 (butyl acetate = 1) : Not available. Flammability Lower and upper explosion : Lower: 1.1% limit/flammability limit Upper: 12.5% : 2.3 kPa (17.5 mm Hg) Vapour pressure **Relative vapour density** : 1 [Air = 1] **Relative density** : 1.02 **Solubility** : Not available. Partition coefficient: n-: Not applicable. octanol/water Auto-ignition temperature : Not available. **Decomposition temperature** : Not available. Viscosity : Kinematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt) Aerosol product Type of aerosol : Not applicable. Heat of combustion : 4.096 kJ/g Ignition distance : Not applicable. **Enclosed space ignition -**: Not applicable. **Time equivalent** Enclosed space ignition -: Not applicable. **Deflagration density** Flame height : Not applicable.

Section 9. Physical and chemical properties

Flame duration

: Not applicable.

Section 10. Stability and reactivity

Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Inhalation	: No known significant effects or critical hazards.						
Ingestion	No known significant effects or critical hazards.						
Skin contact	: May cause an allergic skin reaction.						
Eye contact	: No known significant effects or critical hazards.						
Symptoms related to the physical, chemical and toxicological characteristics							
Inhalation	: No specific data.						
Ingestion	: No specific data.						
Skin contact	: Adverse symptoms may include the following: irritation redness						

Eye contact

: No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Propylene Glycol	LD50 Dermal	Rabbit	20800 mg/kg	-
	LD50 Oral	Rat	20 g/kg	-
2-Butoxyethanol	LCLo Inhalation Vapour	Guinea pig	>3.1 mg/l	1 hours
-	LD50 Dermal	Guinea pig	>2000 mg/kg	-
	LD50 Oral	Rat	1300 mg/kg	-
2-N-Octyl-4-isothiazolin-	LD50 Dermal	Rabbit	690 mg/kg	-
3-one				
	LD50 Oral	Rat	550 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Propylene Glycol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Eyes - Mild irritant	Rabbit	-	100 mg	-
	Skin - Moderate irritant	Child	-	96 hours 30 % C	-
	Skin - Mild irritant	Human	-	168 hours 500 mg	-
	Skin - Moderate irritant	Human	-	72 hours 104 mg I	-
	Skin - Mild irritant	Woman	-	96 hours 30 %	-
2-Butoxyethanol	Eyes - Moderate irritant	Rabbit	-	24 hours 100	-
	Eyes - Severe irritant	Rabbit	-	mg 100 mg	-
	Skin - Mild irritant	Rabbit	-	500 mg	-

Santian 11 Taxia	alagiaal informa	tion			
Section 11. Toxic			1	400	
2-N-Octyl-4-isothiazolin- 3-one	Eyes - Severe irritant	Rabbit	-	100 mg	-
<u>Sensitisation</u>					
Not available.					
Potential chronic health ef					
General	: No known significant e				
Inhalation	: No known significant e	ffects or critica	l hazards.		
Ingestion	: No known significant e	ffects or critica	l hazards.		
Skin contact	: Once sensitized, a sev to very low levels.	ere allergic rea	action may occu	ur when subs	equently exposed
Eye contact	: No known significant e	ffects or critica	l hazards.		
Carcinogenicity	: Suspected of causing exposure.	cancer. Risk o	f cancer depen	ds on duratio	n and level of
Mutagenicity	: No known significant e	ffects or critica	l hazards.		
Teratogenicity	: No known significant e				
Developmental effects	: No known significant e				
Fertility effects	: No known significant e				
Chronic toxicity	• • • • • • • • • • • • • • • • • • •				
Not available.					
Carcinogenicity					
Not available.					
Mutagenicity					
Not available.					
Teratogenicity					
Not available.					
Reproductive toxicity					
Not available.					
Specific target organ toxic	<u>sity</u>				
Not available.					
Aspiration hazard					
Not available.					
Numerical measures of to: Acute toxicity estimates	<u>xicity</u>				
Route			ATE value		
Oral Dermal			29527.89 mg 56784.4 mg/		
Inhalation (dusts and mist	e)		34.07 mg/l	Ϋ́ΥΫ́Υ	

Section 12. Ecological information

Ecotoxicity

: This material is harmful to aquatic life with long lasting effects.

Aquatic and terrestrial toxicity

Section 12. Ecological information

Product/ingredient name	Result	Species	Exposure
Propylene Glycol	Acute EC50 >110 ppm Fresh water Acute LC50 1020000 µg/l Fresh water	Daphnia - Daphnia magna Crustaceans - Ceriodaphnia dubia	48 hours 48 hours
2-Butoxyethanol	Acute LC50 710000 μg/l Fresh water Acute EC50 >1000 mg/l Fresh water Acute LC50 800000 μg/l Marine water Acute LC50 1250000 μg/l Marine water	Fish - Pimephales promelas Daphnia - Daphnia magna Crustaceans - Crangon crangon Fish - Menidia beryllina	96 hours 48 hours 48 hours 96 hours
2-N-Octyl-4-isothiazolin- 3-one	Acute LC50 47 ppb Fresh water Acute LC50 47 ppb Fresh water Chronic NOEC 8.5 ppb	Fish - Oncorhynchus mykiss Fish - Pimephales promelas	48 hours 96 hours 35 days

Persistence/degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Propylene Glycol 2-Butoxyethanol 2-N-Octyl-4-isothiazolin- 3-one	-	-	Readily Readily Readily

Bioaccumulative potential

Not available.

Mobility in soil

Soil/water partition coefficient (Koc)	: Not available.
Other adverse effects	: No known significant effects

or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Marine Pollutant
New Zealand Class	Not regulated.	-	-	-		No.
ADG Class	Not regulated.	-	-	-		No.
UN Class	Not regulated.	-	-	-		No.
ADR/RID Class	Not regulated.	-	-	-		No.
IATA Class	Not regulated.	-	-	-		No.

: 4.02 Version

Date of issue/Date of revision : 04, August, 2021 SHW-A4-AP-HSN44-NZ

WATTYL FOREST BLACK BEAN	WOOD AQU	ΊΑΤ	ECH				Page: 9/11
Section 14.	Transp	or	t information	on			
	Not regulated.	-		-	-		Not a pollutant.
Additional information New Zealand Cla ADG Class UN Class	ass	-					
ADR/RID Class IATA Class IMDG Class PG* : Packing grou	In	- - -					
NZ NZS 14 Hazch		: 1	Not available.				
Special precaution	ns for user	ι	-	. Ensure that perso		sport in closed cont rting the product kn	
Transport in bulk to IMO instrument		: ٢	Not available.				
Section 15.	Regula	to	ry informat	tion			

HSNO Approval Number	: HSR002679
HSNO Group Standard	: Surface coatings and colourants
HSNO Classification	: 6.5 - SENSITIZATION - Category B (Skin) 6.7 - CARCINOGENICITY - Category B 9.1 - AQUATIC ECOTOXICITY - Category C
Safety, health and environmental regulations specific for the product	: No known specific national and/or regional regulations applicable to this product (including its ingredients).

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

Rotterdam Convention on Prior Informed Consent (PIC) Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Section 16. Other information

History

Date of printing Date of issue/Date of revision	: 04, August, 2021. : 04, August, 2021
Date of previous issue	: 23, April, 2021
Version	: 4.02

Version : 4.02

BLACK BEAN	
Section 16. Other information	
Key to abbreviations	 ADG = Australian Dangerous Goods ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail SGG = Segregation Group UN = United Nations
References	: Not available.

✓ Indicates information that has changed from previously issued version.

Notice to reader

It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become make themselves aware of and understand the data contained in this SDS and any hazards that may be associated with the product. This information is provided in good faith and believed to be accurate as of the effective date mentioned herein. However, no warranty, express or implied, is given. The information presented here applies only to the product as shipped. The addition of any material can may change later the composition, hazards and risks of the product. Products shall should not be repackaged, modified, or tinted except as specifically instructed by the manufacturer, including but not limited to, the incorporation of products not specified by the manufacturer, or the use or addition of products in proportions not specified by the manufacturer. Regulatory requirements are subject to change and may differ between various locations and jurisdictions. The customer/buyer/user is responsible to ensure that his activities comply with all country, federal, state, provincial or local laws. The conditions for the use of the product are not under the manufacturer's control of the manufacturer; the customer/buyer/user is responsible to for determine determining the conditions necessary for the safe use of this product. The customer/buyer/user should not use the product for any purpose other than the purpose shown in the applicable section of this SDS, without first referring to the supplier and obtaining written handling instructions. Due to the proliferation of sources for information such as manufacturer-specific SDS, the manufacturer cannot be held responsible for SDSs obtained from any other source.