SAFETY DATA SHEET

WATTYL FORESTWOOD AQUATECH

PINEWOOD GREEN

813779

Section 1. Identification

| Product name | : WATTYL FORESTWOOD AQUATECH PINEWOOD GREEN |
|--|--|
| Product type | : Liquid. |
| Relevant identified use | s of the substance or mixture and uses advised against |
| Manufacturer | : VALSPAR PAINT (NZ) LIMITED 4-14 Patiki Road, Avondale, Auckland, NZ 1026 |
| Emergency telephone number (with hours of operation) | : +(64)98010034 (Available 24 hrs/ 7 days) |
| e-mail address of person responsible for this SDS | : sds@sherwin.com |

Section 2. Hazards identification

| HSNO Classification | |
|---------------------|--|
|---------------------|--|

: 6.5 - SENSITIZATION - Category B (Skin) 6.7 - CARCINOGENICITY - Category B

9.1 - AQUATIC ECOTOXICITY - Category C

This material is classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001 and has been classified according to the Hazardous Substances (Classifications) Regulations 2001.

This material is not classified as DANGEROUS GOODS according to criteria in New Zealand Standard 5433:2012 Transport of Dangerous Goods on Land.

GHS label elements

| Ono laber elemento | | |
|--------------------------|---------------------|---|
| Signal word | : W | Varning |
| Hazard statements | S | lay cause an allergic skin reaction. Suspected of causing cancer. larmful to aquatic life with long lasting effects. |
| Precautionary statements | | |
| Prevention | ha W cł al | Obtain special instructions before use. Do not handle until all safety precautions ave been read and understood. Use personal protective equipment as required. Vear protective gloves. Avoid release to the environment. Keep out of reach of hildren. Avoid breathing vapour. Contaminated work clothing should not be llowed out of the workplace. If medical advice is needed: Have product container r label at hand. |
| Response | | F ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing efore reuse. IF exposed or concerned: Get medical advice/attention. |
| Storage | : S | store locked up. |
| Disposal | | Dispose of contents and container in accordance with all local, regional, national nd international regulations. |
| Symbol | : | |

Other hazards which do not result in classification : Please refer to the SDS for additional information. Keep out of reach of children. Risk of spontaneous combustion. Spraydust, cloth and other contaminated organic material should be wetted and placed in a sealed metal container. Store in a fireproof place.

Section 3. Composition/information on ingredients

| Substance/mixture |
|-------------------|
|-------------------|

| Other means of | f |
|----------------|---|
|----------------|---|

: Mixture

: 813779

identification

: Not available.

CAS number/other identifiers

Product code

| Ingredient name | % (w/w) | CAS number |
|--------------------------------|---------|------------|
| Propylene Glycol | 12.2 | 57-55-6 |
| 2-Butoxyethanol | 4.3 | 111-76-2 |
| Chromium Oxide | 2.6 | 1308-38-9 |
| Attapulgite Clay | 1.6 | 12174-11-7 |
| 2-N-Octyl-4-isothiazolin-3-one | 0.2 | 26530-20-1 |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

| Description of necessa | ry first aid measures |
|------------------------------|---|
| Inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Ingestion | : Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Skin contact | : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Eye contact | : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs. |
| <u>Most important sympto</u> | ms/effects, acute and delayed |
| Potential acute health | <u>effects</u> |
| Inhalation | : No known significant effects or critical hazards. |
| Ingestion | : No known significant effects or critical hazards. |
| Skin contact | : May cause an allergic skin reaction. |
| Eye contact | : No known significant effects or critical hazards. |
| Over-exposure signs/s | <u>ymptoms</u> |
| Inhalation | : No specific data. |
| Ingestion | : No specific data. |
| Skin | : Adverse symptoms may include the following: irritation redness |
| Version : 5.02 | Date of issue/Date of revision : 04, August, 2021 SHW-A4-AP-HSN44-NZ |

Section 4. First aid measures

| Eyes | 1 | No specific data. |
|-----------------------------|------|---|
| Indication of immediate med | dica | l attention and special treatment needed, if necessary |
| Specific treatments | : | Not available. |
| Notes to physician | : | No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Protection of first-aiders | : | No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. |

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

| Littinguisting media | | |
|--|---|--|
| Suitable | : | Use an extinguishing agent suitable for the surrounding fire. |
| Not suitable | : | None known. |
| Specific hazards arising from the chemical | | In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain. |
| Hazardous thermal decomposition products | | Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides |
| Hazchem code | 1 | Not available. |
| Special precautions for fire- fighters | | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

| Personal precautions, protective equipment and emergency procedures | : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8). |
|---|---|
| Environmental precautions | : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. |
| Methods and material for con | tainment and cleaning up |
| Small spill | : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

| Version | : 5.02 | Date of issue/Date of revision | : 04, August, 2021 | |
|---------|--------|--------------------------------|--------------------|---|
| | | | SHW-A4-AP-HSN44-N | Ζ |

Section 7. Handling and storage

| Precautions for safe handling | : Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
|--|--|
| Conditions for safe storage, including any incompatibilities | : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits | | |
|----------------------------------|--|-------------------------------------|--|
| Propylene Glycol | NZ HSWA 2015 (New Zealand, WES-TWA: 10 mg/m ³ 8 hours Particulate WES-TWA: 150 ppm 8 hours. and particulates WES-TWA: 474 mg/m ³ 8 hour Vapor and particulates | . Form: Form: Vapor | |
| 2-Butoxyethanol | NZ HSWA 2015 (New Zealand Absorbed through skin. WES-TWA: 25 ppm 8 hours. WES-TWA: 121 mg/m ³ 8 hour | | |
| Chromium Oxide | NZ HSWA 2015 (New Zealand Skin sensitiser. WES-TWA: 0.01 mg/m³, (as C | ŗ | |
| Appropriate engineering controls | If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. | | |
| Environmental exposure controls | : Emissions from ventilation or work process equipment should be check they comply with the requirements of environmental protection legislati cases, fume scrubbers, filters or engineering modifications to the proce equipment will be necessary to reduce emissions to acceptable levels. | on. In some | |
| ndividual protection measu | 9 <u>5</u> | | |
| Hygiene measures | : Wash hands, forearms and face thoroughly after handling chemical pro- eating, smoking and using the lavatory and at the end of the working p Appropriate techniques should be used to remove potentially contamin Contaminated work clothing should not be allowed out of the workplace contaminated clothing before reusing. Ensure that eyewash stations a showers are close to the workstation location. | eriod. ated clothing. e. Wash | |

Section 8. Exposure controls/personal protection

| Respiratory protection | : | Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. |
|------------------------|---|---|
| Hand protection | : | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
| Eye protection | : | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. |
| Skin protection | : | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

| <u>Appearance</u> | |
|---|---|
| Physical state | : Liquid. |
| Colour | : Not available. |
| Odour | : Not available. |
| Odour threshold | : Not available. |
| рН | : 9 |
| Melting point/freezing point | : Not available. |
| Boiling point, initial boiling point, and boiling range | : 100°C (212°F) |
| Flash point | : Closed cup: 103°C (217.4°F) [Pensky-Martens Closed Cup] |
| Evaporation rate | : 89 (butyl acetate = 1) |
| Flammability | : Not available. |
| Lower and upper explosion limit/flammability limit | : Lower: 1.1% Upper: 12.5% |
| Vapour pressure | : 2.3 kPa (17.5 mm Hg) |
| Relative vapour density | : 1 [Air = 1] |
| Relative density | : 1.03 |
| Solubility | : Not available. |
| Partition coefficient: n- octanol/water | : Not applicable. |
| Auto-ignition temperature | : Not available. |
| Decomposition temperature | : Not available. |
| Viscosity | : Kinematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt) |
| Aerosol product | |
| Type of aerosol | : Not applicable. |
| Heat of combustion | : 4.061 kJ/g |
| Ignition distance | : Not applicable. |

Section 9. Physical and chemical properties

| Enclosed space ignition - Time equivalent | : Not applicable. |
|---|-------------------|
| Enclosed space ignition - Deflagration density | : Not applicable. |
| Flame height | : Not applicable. |
| Flame duration | : Not applicable. |

Section 10. Stability and reactivity

| Chemical stability | : The product is stable. | |
|------------------------------------|--|--|
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. | |
| Conditions to avoid | : No specific data. | |
| Incompatible materials | : No specific data. | |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. | |
| | | |

Section 11. Toxicological information

| Information on likely I | routes of exposure |
|-------------------------|--|
| Inhalation | : No known significant effects or critical hazards. |
| Ingestion | : No known significant effects or critical hazards. |
| Skin contact | : May cause an allergic skin reaction. |
| Eye contact | : No known significant effects or critical hazards. |
| Symptoms related to | the physical, chemical and toxicological characteristics |
| Inhalation | : No specific data. |
| Ingestion | : No specific data. |
| Skin contact | : Adverse symptoms may include the following: irritation redness |
| Eye contact | : No specific data. |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|------------------------------------|------------------------|------------|-------------|----------|
| Propylene Glycol | LD50 Dermal | Rabbit | 20800 mg/kg | - |
| | LD50 Oral | Rat | 20 g/kg | - |
| 2-Butoxyethanol | LCLo Inhalation Vapour | Guinea pig | >3.1 mg/l | 1 hours |
| - | LD50 Dermal | Guinea pig | >2000 mg/kg | - |
| | LD50 Oral | Rat | 1300 mg/kg | - |
| 2-N-Octyl-4-isothiazolin- 3-one | LD50 Dermal | Rabbit | 690 mg/kg | - |
| 0-016 | LD50 Oral | Rat | 550 mg/kg | - |

Irritation/Corrosion

| 1 | Species | Score | Exposure | Observation |
|--------------------------|--|---|---|---|
| Eyes - Mild irritant | Rabbit | - | 24 hours 500 | - |
| | | | mg | |
| Eyes - Mild irritant | Rabbit | - | 100 mg | - |
| Skin - Moderate irritant | Child | - | 96 hours 30 | - |
| | | | % C | |
| Skin - Mild irritant | Human | - | 168 hours | - |
| | | | 500 mg | |
| Skin - Moderate irritant | Human | - | 72 hours 104 | - |
| | | | ma I | |
| - | Eyes - Mild irritant Skin - Moderate irritant Skin - Mild irritant | Eyes - Mild irritant Skin - Moderate irritant Skin - Mild irritant Human | Eyes - Mild irritant Skin - Moderate irritant Skin - Mild irritant Human - | Second systemSecond systemMageEyes - Mild irritantRabbit-100 mgSkin - Moderate irritantChild-96 hours 30Skin - Mild irritantHuman-168 hoursSoo mg500 mg |

Section 11. Toxicological information

| | Skin - Mild irritant | Woman | - | 96 hours 30 | - |
|------------------------------------|--------------------------|--------|---|--------------|---|
| | | | | % | |
| 2-Butoxyethanol | Eyes - Moderate irritant | Rabbit | - | 24 hours 100 | - |
| | | | | mg | |
| | Eyes - Severe irritant | Rabbit | - | 100 mg | - |
| | Skin - Mild irritant | Rabbit | - | 500 mg | - |
| 2-N-Octyl-4-isothiazolin- 3-one | Eyes - Severe irritant | Rabbit | - | 100 mg | - |

Sensitisation

Not available.

Potential chronic health effects

| i otentiai chi onic nealth ei | |
|-------------------------------|---|
| General | : No known significant effects or critical hazards. |
| Inhalation | : No known significant effects or critical hazards. |
| Ingestion | : No known significant effects or critical hazards. |
| Skin contact | : Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels. |
| Eye contact | : No known significant effects or critical hazards. |
| Carcinogenicity | : Suspected of causing cancer. Risk of cancer depends on duration and level of exposure. |
| Mutagenicity | : No known significant effects or critical hazards. |
| Teratogenicity | : No known significant effects or critical hazards. |
| Developmental effects | : No known significant effects or critical hazards. |
| Fertility effects | : No known significant effects or critical hazards. |
| Chronic toxicity | |
| Not available. | |
| Carcinogenicity | |
| Not available. | |
| Mutagenicity | |
| Not available. | |
| Teratogenicity | |
| Not available. | |
| Reproductive toxicity | |
| Not available. | |
| Specific target organ toxic | v |
| Not available. | |
| Aspiration hazard | |
| Not available. | |
| | |
| Numerical measures of tox | <u>zity</u> |
| Acute toxicity estimates | |
| Route | ATE value |
| Oral | 30177 52 mg/kg |

| Route | ATE value |
|------------------------------|----------------|
| | 30177.52 mg/kg |
| Dermal | 58033.7 mg/kg |
| Inhalation (dusts and mists) | 34.82 mg/l |

Section 12. Ecological information

Ecotoxicity

: This material is harmful to aquatic life with long lasting effects.

Aquatic and terrestrial toxicity

| Product/ingredient name | Result | Species | Exposure | |
|------------------------------------|---|--|---------------------|--|
| Propylene Glycol | Acute EC50 >110 ppm Fresh water | Daphnia - Daphnia magna | 48 hours | |
| | Acute LC50 1020000 µg/l Fresh water | Crustaceans - Ceriodaphnia dubia | 48 hours | |
| | Acute LC50 710000 µg/l Fresh water | Fish - Pimephales promelas | 96 hours | |
| 2-Butoxyethanol | Acute EC50 >1000 mg/l Fresh water | Daphnia - Daphnia magna | 48 hours | |
| - | Acute LC50 800000 µg/l Marine water | Crustaceans - Crangon crangon | 48 hours | |
| | Acute LC50 1250000 µg/l Marine water | Fish - Menidia beryllina | 96 hours | |
| 2-N-Octyl-4-isothiazolin- 3-one | Acute EC50 107 ppb Fresh water | Daphnia - Daphnia magna | 48 hours | |
| | Acute LC50 47 ppb Fresh water Chronic NOEC 8.5 ppb | Fish - Oncorhynchus mykiss Fish - Pimephales promelas | 96 hours 35 days | |

Persistence/degradability

| Product/ingredient name | Aquatic half-life | Photolysis | Biodegradability |
|---------------------------|-------------------|------------|------------------|
| Propylene Glycol | - | - | Readily |
| 2-Butoxyethanol | - | - | Readily |
| 2-N-Octyl-4-isothiazolin- | - | - | Readily |
| 3-one | | | |

Bioaccumulative potential

Not available.

Mobility in soil

| Soil/water partition coefficient (Koc) | : Not available. | | |
|--|------------------|--|--|
| Other adverse effects | : No known sigr | | |

: No known significant effects or critical hazards.

Section 13. Disposal considerations

| Disposal methods | : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt |
|------------------|--|
| | material and runoff and contact with soil, waterways, drains and sewers. |

Section 14. Transport information

| Regulatory information | UN number | Proper shipping name | Classes | PG* | Label | Marine Pollutant |
|------------------------|-------------------|----------------------|------------|------------|-----------------|---------------------|
| New Zealand Class | Not regulated. | - | - | - | | No. |
| ADG Class | Not regulated. | - | - | - | | No. |
| UN Class | Not regulated. | - | - | - | | No. |
| | | | | | | |
| Version : 5. | 02 | | Date of is | sue/Date o | of revision : 0 | 4. August. 2021 |

SHW-A4-AP-HSN44-NZ

| WATTYL FORES PINEWOOD GRE | • | UAT | ECH | | | | | Page: 9/11 |
|--|-------------------|-----------------------------------|--|---------------|------------|---|--|---|
| Section 14. Transport information | | | | | | | | |
| ADR/RID Class | Not regulated. | - | | - | | - | | No. |
| IATA Class | Not regulated. | - | | - | | - | | No. |
| IMDG Class | Not regulated. | - | | - | | - | | Not a pollutant. |
| Additional information New Zealand Class ADG Class UN Class ADR/RID Class IATA Class IMDG Class PG* : Packing group NZ NZS 14 Hazchem Code Special precautions for use | | : | | ire. Ensure f | that perso | | | sed containers that are oduct know what to do in |
| Transport in bull to IMO instrume | | : | Not available. | | | | | |
| Section 15 | 5. Regula | ato | ry inform | ation | | | | |
| HSNO Approval | Number | : | HSR002679 | | | | | |
| HSNO Group Sta | andard | : Surface coatings and colourants | | | | | | |
| HSNO Classification : 6.5 - SENSITIZATION - Category B (Skin) 6.7 - CARCINOGENICITY - Category B 9.1 - AQUATIC ECOTOXICITY - Category C | | | | | | | | |
| Safety, health and : environmental regulations | | | : No known specific national and/or regional regulations applicable to this product (including its ingredients). | | | | | |

specific for the product International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

Rotterdam Convention on Prior Informed Consent (PIC) Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Section 16. Other information

| <u>History</u> | |
|--------------------------------|---|
| Date of printing | : 04, August, 2021. |
| Date of issue/Date of revision | : 04, August, 2021 |
| Date of previous issue | : 14, April, 2021 |
| Version | : 5.02 |
| Key to abbreviations | : ADG = Australian Dangerous Goods ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail SGG = Segregation Group UN = United Nations |
| References | : Not available. |

Indicates information that has changed from previously issued version.

Notice to reader

It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become make themselves aware of and understand the data contained in this SDS and any hazards that may be associated with the product. This information is provided in good faith and believed to be accurate as of the effective date mentioned herein. However, no warranty, express or implied, is given. The information presented here applies only to the product as shipped. The addition of any material can may change later the composition, hazards and risks of the product. Products shall should not be repackaged, modified, or tinted except as specifically instructed by the manufacturer, including but not limited to, the incorporation of products not specified by the manufacturer, or the use or addition of products in proportions not specified by the manufacturer. Regulatory requirements are subject to change and may differ between various locations and jurisdictions. The customer/buyer/user is responsible to ensure that his activities comply with all country, federal, state, provincial or local laws. The conditions for the use of the product are not under the manufacturer's control of the manufacturer; the customer/buyer/user is responsible to for determine determining the conditions necessary for the safe use of this product. The customer/buyer/user should not use the product for any purpose other than the purpose shown in the applicable section of this SDS, without first referring to the supplier and obtaining written handling instructions. Due to the proliferation of sources for information such as manufacturer-specific SDS, the manufacturer cannot be held responsible for SDSs obtained from any other source.